Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: DRY SUPER

· Article number: NSSU

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC34 Textile dyes, finishing and impregnating products; including bleaches and other processing aids PC35 Washing and cleaning products (including solvent based products)

- · Application of the substance / the mixture Dry cleaning reinforce
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.qbmprodottichimici.it - E-mail qbm@prodottichimici.it

- · Further information obtainable from: info @gbmprodottichimici.it
- 1.4 Emergency telephone number: G.B.M. Elettrochimica srl Tel. +39 0541 930058 (office hours)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

C9-11 Alcohol ethoxylate, 5.5EO

Benzenesulfonic acid, 4-C10-13-sec-alkylderivs.

2 -ethylhexanol, ethoxylated, phospated

Sale sodico di estere solfonato

(Contd. on page 2)

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

(Contd. of page 1)

· Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | | | |
|---|--|----------|--|
| CAS: 68439-46-3 | C9-11 Alcohol ethoxylate, 5.5EO | 15 - 30% | |
| | | | |
| CAS: 85536-14-7 | Benzenesulfonic acid, 4-C10-13-sec-alkylderivs. | 5 - 15% | |
| EINECS: 287-494-3 | Skin Corr. 1B, H314; (1) Acute Tox. 4, H302 | | |
| Reg.nr.: 01-2119490234-40-xx | α | | |
| CAS: 31800-88-1 | 2 -ethylhexanol, ethoxylated, phospated | 2 - 5% | |
| | Eye Dam. 1, H318; Skin Irrit. 2, H315 | | |
| | Sale sodico di estere solfonato | 2 - 5% | |
| | | | |
| CAS: 67-63-0 | propan-2-ol | 2 - 5% | |
| EINECS: 200-661-7 Reg.nr.: 01-2119457558-25- | Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336 | | |

Regulation (EC) No 648/2004 on detergents / Labelling for contents non-ionic surfactants, anionic surfactants 15 - 30%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse your mouth well

In case of complaints seek medical advice

(Contd. on page 3)

[·] Additional information: For the wording of the listed risk phrases refer to section 16.

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

(Contd. of page 2)

 \cdot 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Use to respiratory protection

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- · 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

You should follow the usual precautions for handling chemical products

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Light yellow
Odour: Characteristic
Odour threshold: Not determined.

· pH-value at 20 °C: 6,5

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

| | (Contd. of pag |
|---------------------------------------|---|
| · Ignition temperature: | |
| Decomposition temperature: | Not determined. |
| · Self-igniting: | Product is not selfigniting. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapour pressure at 20 °C: | 23 hPa |
| · Density at 20 °C: | 1 g/cm³ |
| · Relative density | Not determined. |
| · Vapour density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with | |
| water: | Soluble. |
| · Partition coefficient (n-octanol/wa | ater): Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition

- · 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

68439-46-3 C9-11 Alcohol ethoxylate, 5.5EO

Oral LD50 300.1 - 2000 mg/kg (rat)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

(Contd. on page 6)

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

(Contd. of page 5)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

68439-46-3 C9-11 Alcohol ethoxylate, 5.5EO

EC50 1.1 - 10 mg/kg (daphnia)

- · 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water.

| · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void | |
|--|------|--|
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| · 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |

(Contd. on page 7)

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

| | | (Contd. of page 6) |
|--|------------------------------------|--------------------|
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| · 14.7 Transport in bulk according to Ann Marpol and the IBC Code | ex II of Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This product is to be considered as a preparation according to EU-legislation.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact: ---

· Abbreviations and acronvms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.03.2016 Version number 4 Revision: 22.03.2016

Trade name: DRY SUPER

Flam. Liq. 2: Flammable liquids, Hazard Category 2
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

(Contd. of page 7)