Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: SOFT LB2 SUPER

· Article number: NLSB2

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture

Concentrated liquid detergent for textile washing in industrial plants

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

G.B.M. Elettrochimica s.r.l.

via Fiumicino S. Mauro 120/130 - 47039 Savignano sul Rubicone (FC)

tel. 0541/930058 - Fax 0541/810218

www.gbmprodottichimici.it - E-mail gbm@prodottichimici.it

- · Further information obtainable from: info@gbmprodottichimici.it
- 1.4 Emergency telephone number: G.B.M. Elettrochimica srl Tel. +39 0541 930058 (office hours)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium hydroxide

tetrasodium ethylenediaminetetraacetate

Acido idrossi-etiliden-difosfonico

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-xxxx	sodium hydroxide Skin Corr. 1A, H314	15 - 30%
CAS: 64-02-8 EINECS: 200-573-9 Reg.nr.: 01-2119486762-27-xxxx	tetrasodium ethylenediaminetetraacetate  Eye Dam. 1, H318;  Acute Tox. 4, H302	5 - 15%
CAS: 2809-21-4 EINECS: 220-552-8 Reg.nr.: 01-2119510391-53-xxxx	Acido idrossi-etiliden-difosfonico  Met. Corr.1, H290; Eye Dam. 1, H318;  Acute Tox. 4, H302	5 - 15%
· Regulation (EC) No 648/2004 or	detergents / Labelling for contents	
EDTA and salts thereof, phosphonates		5 - 15%

• Additional information: For the wording of the listed risk phrases refer to section 16.

Additional information. For the wording of the listed risk privaces refer to section ro.

### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

Rinse your mouth well

Call for a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Use to respiratory protection

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

You should follow the usual precautions for handling chemical products

- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Light yellow
Odour: Characteristic
Odour threshold: Not determined.

• **pH-value at 20 °C:** > 13

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 5)

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

	(Contd. of page
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 20 °C:	1.22 - 1.28 g/cm³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0,0 %
· 9.2 Other information	No further relevant information available.

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Strong exothermic reaction with acids.
- · 10.4 Conditions to avoid

The product is normally supplied in a stabilized form. Avoid excessive heat for long periods of time, the product can polymerize. Avoid heat, flames and other sources of ignition

- 10.5 Incompatible materials: Avoid contact with acids and oxidants.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	0 valu	es relevant for classification:
1310-73	3-2 soc	lium hydroxide
Oral	LD50	1350 mg/kg (rat)
Dermal	LD50	1350 mg/kg (rat)

(Contd. on page 6)

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

		(Contd. of page 5
64-02-8	tetras	odium ethylenediaminetetraacetate
Oral		1780 mg/kg (rat)
		500 mg/kg (rabbit)
Dermal	LD50	1350 mg/kg (rabbit)
2809-21	1-4 Aci	do idrossi-etiliden-difosfonico
Oral	LD50	1878 mg/kg (rat)

- · Primary irritant effect:
- Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 64-02-8 tetrasodium ethylenediaminetetraacetate

EC50 > 100 mg/kg (daphnia)

- 12.2 Persistence and degradability Easily biodegradable
- · 12.3 Bioaccumulative potential Non significant accumulation in organisms
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

· Recommended cleansing agents: Water.

(Contd. of page 6)

14.1 UN-Number ADR, IMDG, IATA	UN3266
14.2 UN proper shipping name ADR	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE)
IMDG IATA	CORROSIVE LIQUID, BASIC, INORGANIC, N.O. (SODIUM HYDROXIDE) Corrosive liquid, basic, inorganic, n.o.s. (Sodium
	hydroxide)
14.3 Transport hazard class(es)	
ADR Class	8 Corrosive substances.
IMDG, IATA	
Class Label	8 Corrosive substances. 80
14.4 Packing group ADR, IMDG	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number: Segregation groups	F-A,S-B Alkalis
14.7 Transport in bulk according to Anni Marpol and the IBC Code	<b>ex II of</b> Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 l
Transport category Tunnel restriction code	3 E
UN "Model Regulation":	UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (SODIUM HYDROXIDE), 8,

Printing date 02.02.2016 Version number 3 Revision: 02.02.2016

Trade name: SOFT LB2 SUPER

(Contd. of page 7)

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### · Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

· Contact: ---

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

· \* Data compared to the previous version altered.